



Phone : 23710519
Fax : (91-11) 23710519, 23730682

वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद्

अनुसंधान भवन, 2, रफी मार्ग, नई दिल्ली-110 001

COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH

Anusandhan Bhawan, 2, Rafi Marg, New Delhi-110001

SPEED POST / स्पीड पोस्ट

CONFIDENTIAL

8 May, 2012

संख्या

No.

No.15-3/1/71-O&M/Vig.

प्रेषक

From

मुख्य सतर्कता अधिकारी
Chief Vigilance Officer

To

The Directors/Heads of all National Laboratories/Institutes.

Sub.: Maintenance of APARs/ARPs/PMS in respect of Chief Scientists reg.

Sir,

I am to invite a reference to CSIR Circular letter No.5-1(44)/2008-PD dated 31.10.2008, regarding Reporting and Reviewing of APARs/ARPs/PMS of Chief-Scientists by the Director of the concerned Lab./Instt. from the reporting year 31.03.2008 and to state that since the Director will be the Reporting and Reviewing Officer for the purpose of annual review of APARs/ARPs/PMS, their APARs/ARPs/PMS are not required to be sent to Vigilance Division as no action is needed at this end. Therefore, the APARs/ARPs/PMS of Chief Scientists of your Lab./Instt. may be maintained at the Lab./Instt. level and the same may not be sent to the Vigilance Division. Hindi Version will follow.

Yours faithfully,


(Anjali Tewari)
Chief Vigilance Officer

Copy to :

1. Sr.COAs/COAs/AOs of all National Labs./Instts.
2. O/o DG, CSIR
3. O/o JS(Admn.), CSIR
4. O/o FA, CSIR
5. Sr.DS(HR)
6. DS(PD)/DS(CO)/DS(Complex)
7. IT Division, CSIR Hqrs. for placing on the website