वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH अनुसंधान भवन, 2 रफी मार्ग, नई दिल्ली – 110001 Anusandhan Bhawan, 2, Rafi Marg, New Delhi - 110001



सा॰/No.: 5-1(17)/2008-PD

दिनांक/Dated: 17.12.2020

प्रेषक / From: संयुक्त सचिव (प्रशासन)

Joint Secretary (Admn.)

सेवा में / To:

सी.एस.आई.आर. की सभी राष्ट्रीय प्रयोगशालाओं/संस्थानों/मुख्यालय/एककों के निदेशक/प्रधान

The Directors/Heads of all CSIR National Labs./Instts./Hgrs./Units

## महोदय/Sir / महोदया/Madam,

मुझे भारत सरकार द्वारा जारी किए गए निम्नलिखित कार्यालय ज्ञापन को आपकी जानकारी, मार्गदर्शन और अनुपालन के लिए अग्रेषित करने का निदेश ह्आ है:

I am directed to forward herewith the following Office Memorandum issued by the Government of India for your information, guidance and compliance:

क्रम सं.	कार्यालय ज्ञापन सं/ .	विषय/
SI. No.	Office Memorandum No.	Subject
1.	भारत सरकार, स्वास्थ्य एवं परिवार कल्याण मंत्रालय का कार्यालय ज्ञापन सं॰ Z 15025/18/2020/DIR/CGHS दिनांक 10.06.2020 Government of India, Ministry of Health & Family Welfare OM No. Z 15025/18/2020/DIR/CGHS Dated 10.06.2020	Revision of CGHS Rate for rt PCR Test for COVID-19

भवदीय/Yours faithfully

(सिद्धार्थ दे / Siddhartha Dey)

अवर सचिव (नीति प्रभाग)/US (PD)

संलग्न/Encl. : यथोपरि/As above प्रतिलिपि/Copy to:

- 1) आई.टी. प्रभाग प्रमुख वेबसाइट और पॉलिसी रिपॉजिटरी पर इस परिपन्न को उपलब्ध कराने के अनुरोध के साथ/ Head, IT Division with the request to make this circular letter available on the website & Policy Repository.
- 2) कार्यालय प्रति/Office copy



## Z 15025/18/2020/DIR/CGHS Government of India Ministry of Health & Family Welfare Directorate General of CGHS

Nirman Bhawan, New Delhi Dated the 10<sup>th</sup> June , 2020.

## OFFICE MEMORANDUM

Sub: Revision of CGHS Rate for rt PCR Test for COVID19

\*\*\*

In view of the current Corona Virus Disease(COVID-19) Pandemic, all out efforts are made by the Government to contain its impact by instituting measures at community as well as at individual level.

2. In this regard attention is drawn to the earlier Office memorandum No S-11011/20/2020/Addl. DDG(HQ) dated the 21<sup>st</sup> April, 2020 vide which CGHS rate has been prescribed for COVID 19 Test. The matter has been reviewed and the undersigned is directed to state that it is now decided in supersession of the earlier orders that the CGHS rate for rt PCR test for COVID-19 shall be as per the rate prescribed by I.C.M.R. or the rate prescribed for the State by the concerned State Government or actual, whichever may be lower.

The private hospitals /Laboratories empanelled under CGHS and approved for undertaking the test shall perform the investigation after the same has been advised as per the prevalent ICMR protocols by any Specialists of Government Hospital/Centre / Private empanelled hospital / Medical Officer of CGHS.

3. The other terms and conditions prescribed in OM No S-11011/20/2020/Addl. DDG(HQ) dated the 21<sup>st</sup> April, 2020 remain unchanged.

10,010

(Dr. Sanjay Jain)

Director, CGHS

To:

- 1 All Ministries / Departments, Government of India
- 2 Director, CGHS, Nirman Bhawan, New Delhi
- 3 CGHS Desk-I/Desk-II/CGHS-I/CGHS-II, Dte.GHS, Nirman Bhawan. New Delhi
- 4 Estt.I/ Estt.II/ Estt.II/ Sections, Ministry of Health & Family Welfare

- 5 Admn.I / Admn.II Sections of Dte.GHS
- 6 Addl. Director, CGHS(HQ) / Addl. Directors/Joint Directors of CGHS Cities
- 7 Rajya Sabha / Lok Sabha Secretariat
- 8 Registrar, Supreme Court of India /Punjab & Haryana High Court, Chandigarh
- 9 Under Secretary, U.P.S.C.
- 10 Under Secretary Finance Division
- Deputy Secretary (Civil Service News), Department of Personnel & Training, 5th Floor, Sardar Patel Bhawan, New Delhi.
- 12 PPS to Secretary (H&FW)/ PPS to OSD(RB)(HFW), Ministry of Health & Family Welfare
- 13 PPS to AS&MD, NRHM / AS (H) /DGHS
- 14 Secretary, Staff Side, 13-C, Ferozshah Road, New Delhi
- 15 All Staff Side Members of National Council (JCM) (as per list attached)
- Office of the Comptroller & Auditor General of India, 10 Bahadur Shah Zafar Marg, New Delhi
- 17 All Offices / Sections / Desks in the Ministry
- 18 UTI Infrastructure Technology And Services Limited, UTI-ITSL Tower, Plot No3 Sector -11, CBD Belapur, Navi Mumbai-400614
- Nodal Officer, MCTC, CGHS with a request to upload a copy of OM on CGHS Web-site
- 20 Office Order folder

Copy for information to

PS to Hon'ble HFM